



# GOVT. COLLEGE OF ENGINEERING AMRAVATI

Near Kathora Naka, Amravati 444604  
(An Autonomous Institute of Govt. of Maharashtra)  
Towards Global technological Excellence

Dr. A.M.Mahalle  
(Principal)

Phone: (0721) 2531929,2531930

Website: www.gcoea.ac.in

## Quotation Enquiry Letter

No. GOCEA/Purchase/Equip/MED/2023/221

Date: 12/01/2023

To,

M/s. Web Portal

Govt Collage Of Engineering Amravati

Subject: Quotation for the supply of Equipment For Mechanical Engineering Dept.

Dear Sir,

I have to request you to kindly quote your lowest reasonable rate for the following items and send the quotation in sealed cover so as to reach the undersigned on or before 19/1/2023 & open on 20/1/2023 at 1.30 P.M.

Sr.no.	Description/Specification	Quantity
01	<b>Solar pyranometer along with shading ring and suitable data logger</b> Sensor: Thermopile, Typical sensitivity: 6-11 $\mu V/(W/m^2)$ Impedance: 5-50 $\Omega$ , Measuring range: 0-2000 $W/m^2$ , Viewing angle: $2\pi$ sr, Spectral range: 283-2800 nm, Operating Temperature: -40°C to 80 °C, Operating Humidity 0-100%, Output: Digital so as to record data in the suitable data logger to be provided along with complete mount and arrangement of shading ring. The Technical Specifications should comply ISO 9060	01 no.

**Note:-The following should be mention on the Quotation**

**Address:-** Principal, Government College of Engineering,

Near Katora Naka , VMV Road , Amaravati - 444604

- **Kind Attention :** - Mechanical Engineering Department
- Dispatch No.---- & Refrence No.----, with Quotation Date

### TERMS AND CONDITIONS

It is proposed to have a two envelops System for this quotation Envelop should be sealed with a mention of two type envelope(Technical/Financial) and the outward number of the quotation call letter. These two envelopes should be sealed in a third(main) envelope as mentioned below.


**A.Technical Specification-** Cover should contain Technical Specification document

1. covering letter for the quotation on the letter head of supplier.
2. Establishment certificate must be enclosed.
3. GST / Service Tax /Vat along with respective clearance certificate for assessment year is also necessary.
4. No-Deviation Statement – No deviation statement for specification of the training offered giving details of specification in following proform only ( No ther formate will be accepted)

Supplier must fill the specified pro-forma and mere certifying that there is no deviation between enquiry specification and specification quoted by bidder is not acceptable and such quotation are likely to be rejected.

**B.Financial Quotation** –Cover should contain quote document.

1. Validity- the rates offerd should valid at least for 90 days from the date of calling of quotation.
2. Price –FOR destination of Government collage of Engineering Amravati. The offer should be confirm with inclusive all taxes . no extra charges will be paid.
3. Payment -100 % Payment is against satisfactory completion of testing equipment.
4. **Taxes** : Rates quote will be per item inclusive of all taxes unless otherwise stated invalid.
5. Demonstration of Equipment must be provided by supplier on his own cost.
6. The undersigned reserves the right to reject any or all quotations without assigning any/ reason .

  
**PRINCIPAL**  
Govt. College of Engineering,  
Amravati

